

SETUP SHEET

XRAY X4'24

RACE					
TRACK					
DRIVER			DATE		
QUAL POSITION	FINAL POSITION	BEST LAP TIME	LAPS	TIME	
		/sec	/		

TRACK		
TRACK SURFACE	<input type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT (<input type="checkbox"/> Indoor / <input type="checkbox"/> Outdoor)
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL
PINION	SPUR GEAR	FINAL DRIVE RATIO

SHOCKS	
SPRINGS	
OIL /Cst	
REBOUND %	
<input type="checkbox"/> YES <input type="checkbox"/> NO	FOAM INSERTS <input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> PSS	<input type="checkbox"/> PSS
SHOCK LENGTH	SHOCK LENGTH

THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm
--------------	---------------	--------------

Timing:	Temp.:	Timing:	Temp.:
FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT	/g	WEIGHT BALANCE	FRONT %	REAR %
--------------	----	----------------	---------	--------

MOTOR	TIMING
ESC	BATTERY
BODY	WING

	BODY POSITION Dimension from body post to window bottom line /mm
	WING SIDE PLATE YES <input type="checkbox"/> NO <input type="checkbox"/> Dimension from body post to upper holder /mm Dimension from edge to surface /mm

X4'23 1.6mm <input type="checkbox"/> 2.0mm <input type="checkbox"/> 1.6mm <input type="checkbox"/>	X4'22 2.0mm <input type="checkbox"/> 2.0mm <input type="checkbox"/> 1.6mm <input type="checkbox"/>	X4'22 2.0mm <input type="checkbox"/> 2.0mm <input type="checkbox"/> 1.6mm <input type="checkbox"/>
NONE <input type="checkbox"/> BEARING <input type="checkbox"/>		

FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/>	CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU 1.5mm <input type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/>
--	--	---

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
5° <input type="checkbox"/> 4° <input type="checkbox"/> 3° <input type="checkbox"/> Adjust with eccentric bushings	BUMP STEER /mm HEIGHT /mm SHIM /mm	0.5° <input type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° <input type="checkbox"/> Adjust with eccentric bushings
/mm FF RIDE HEIGHT	/mm FR RIDE HEIGHT SERVO SAVER <input type="checkbox"/> SERVO HORN <input type="checkbox"/>	/mm RF RIDE HEIGHT /mm RR RIDE HEIGHT

FRONT
CAMBER /deg. Left = Right BODY STOP YES <input type="checkbox"/> NO <input type="checkbox"/> SHOCK HOLDERS SHIM /mm SUSPENSION FLEX YES <input type="checkbox"/> NO <input type="checkbox"/> DRIVE SHAFT 58mm <input type="checkbox"/> 59mm <input type="checkbox"/> BEARING BLADE <input type="checkbox"/> SHIM /mm FRONT HUB MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> SHIM /mm DOWNSTOP /mm

REAR
CAMBER /deg. Left = Right BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input type="checkbox"/> SHOCK HOLDERS FIXED <input type="checkbox"/> ACTIVE <input type="checkbox"/> SHIM /mm SUSPENSION FLEX YES <input type="checkbox"/> NO <input type="checkbox"/> DRIVE SHAFT 52mm <input type="checkbox"/> 54mm <input type="checkbox"/> BEARING BLADE <input type="checkbox"/> SHIM /mm REAR HUB MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> SHIM /mm DOWNSTOP /mm

FRONT TOP VIEW	REAR
TOE OUT Left = Right ACKERMANN SHIM /mm SHORT LiPo BRASS WEIGHT YES <input type="checkbox"/> NO <input type="checkbox"/> BRASS WEIGHT FOR MOTOR MOUNT 40g <input type="checkbox"/> DIFF HEIGHT UP <input type="checkbox"/> DOWN <input type="checkbox"/> UPPER ARM SOFT <input type="checkbox"/> MEDIUM <input type="checkbox"/> STEERING BRIDGE YES <input type="checkbox"/> NO <input type="checkbox"/> HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	TOE IN Left = Right SHIM /mm BRASS WEIGHT FOR MOTOR MOUNT 40g <input type="checkbox"/> DIFF HEIGHT UP <input type="checkbox"/> DOWN <input type="checkbox"/> UPPER ARM SOFT <input type="checkbox"/> MEDIUM <input type="checkbox"/> STEERING SHIM/mm PLATE 8.0mm <input type="checkbox"/> 7.5mm <input type="checkbox"/> HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK /deg. MOTOR MOUNT SERVO HOLDER FR <input type="checkbox"/> RR <input type="checkbox"/> CHASSIS T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/> CHASSIS T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>